



member of

**BYGGMA**  
group

# One-Step ceiling

Forestia One-Step ceiling is a foil-covered ceiling panel, profiled on all 4 sides with tongue and groove and a v-joint.

Forestia One-Step ceiling can be used as ceiling panels in all rooms where there are no requirements for moisture-resistant materials. The ceiling can be washed with any standard non-greasy detergent.

Areas of application: Dry areas, but can also be used in well ventilated domestic utility rooms and bathrooms (Climate class 1).

## Why One-Step ceiling?

*A great looking ceiling*

*Easy to install*

*Easy to keep clean*

*Can be painted*

*Can be installed with downlights*

*For both new houses/renovating*

*Strong surface*

*Economical*




02 TF  
White stucco



12 TF  
White linnen



14 TFL  
White  
inspiration



21 TF  
Sirius





**02TF White stucco** (NCS S 0502-B)

Thickness: 12 mm  
 Net: 300/600 x 1200 mm  
 Gross: 320/620 x 1220 mm

**12TF White linnen** (NCS S 0502-Y)

Thickness: 12 mm  
 Net: 600 x 1200 mm  
 Gross: 620 x 1220 mm

**14 TFL White Inspiration** (NCS S 0500-N)

Thickness: 12 mm  
 Net : 300/600 x 1200 mm  
 Gross: 320/620 x 1220 mm

**21TF Sirius** (NCS S 0500-N)

Thickness: 12 mm  
 Net: 600 x 1200 mm  
 Gross: 620 x 1220 mm

**40TF White Silk** (NCS S 0502-Y)

Thickness: 12 mm  
 Net: 300/600 x 1200 mm  
 Gross: 320/620 x 1220 mm

**45TF White rustic** (NCS S 0502-B)

Thickness: 12 mm  
 Net: 600 x 1200 mm  
 Gross: 620 x 1220 mm

**305 Glazed ash**

Thickness: 12 mm  
 Net: 300 x 1200 mm  
 Gross: 320 x 1220 mm



40TF  
 white silk



305  
 Glazed ash



45TF  
 white rustic



# One-Step walls

Forestia One-Step Wall is a foil covered, 600mm wide wall panel with lengths between 2390mm - 4200mm.

The panel has tongue and groove with a v-joint on the long sides. Forestia One-Step Wall is available in a number of decors.

The panels can be used as a cladding material in all buildings where the requirement for reaction to fire performance is D-s2,d0.

Forestia One-Step Wall can also be used as ceiling panels, thanks to its long lengths.

The panels have been pre-treated on one side. In the event of humid climatic conditions this may lead to possible warping of the wall panels. To prevent this, c/c 80 cm transoms can be fitted.

Where heavy items / technical installations are to be secured to the wall, additional transoms should be used. Where double panel cladding is used, there is no need for transoms.

Forestia One-Step Wall can be fitted to both timber and steel studwork.

Areas of application: Dry areas (Climate class 1)



## Why One-Step walls?

*Easy to install*

*Easy to keep clean*

*Can be painted*

*For both new houses/renovating*

*Strong surface*

*Economical*



Forestia One-Step wall can be delivered in the following decors:



# Brush painted wall panels

Forestia 6-board panel with a brush-painted surface comes in 12mm thickness and with tongue and groove on the long sides.

- The panels have a washable, durable surface.
- Easy and quick installation
- The panels can be fitted either to an existing wall or directly onto studwork.
- Can be delivered in lengths, 2,39m and 2,74m.
- Is suitable for both new construction and renovation



The panels can be delivered in the following colors:

- White
- Caffelatte
- Merino grey



*Important! colors vary from the printed photos.*







# FORESTIA walls2paint

An ingenious product for those who are not particularly fond of plastering and finishing.

- 1. install the panels*
- 2. paint the panels in a color you like*
- 3. finished wall*

Walls2Paint has the same locking profile as Walls4You. The panels are easy to fit and can then be painted in the color of your choice. So, there's no need for plastering and finishing. Timesaving.

It is important that the panels are fitted to very well executed studwork. As mentioned, there is no need for plaster - avoiding dust caused by sanding. You therefore save time, whilst providing a better working environment by avoiding all the dust. The wall panels can also be used when renovating.

Walls2Paint is produced in lengths of 2.39, 2.60m and 2.80m. The width is a standard 60cm and the panels are 12mm thick.

Locking profile



# FORESTIA walls 4 you

Forestia is happy to present its high-quality particle board for walls, complete with top quality wallpaper in stylish designs. We have selected a wide range of wallpapers – which we have split into three collections; TREND, CLASSIC and BASIC.

Choose the combinations you like and save hours of work!

- A wide range of designs
- Combines colors and designs
- Easy to assemble with an ingenious locking profile
- Great corner solutions
- For newbuilds and renovations
- The boards is delivered in a practical 2-pack
- Hidden fastening points
- Dimensions 12x620x2390mm (Can also be delivered in lengths of 2,60m but then it is a minimum order of 200 panels in the same decor).

Mouldings with wallpaper is available in 9 different decors.



Decor 4147 white deco

### *BASIC Collection*

Comprises simpler decorative finishes with understated surface for delicate, light and timeless rooms. Equally suitable in both private rooms as well as public environments.



Decor 14244 Grey Textile/Basic collection.

### *CLASSIC Collection*

comprises classic decorative finishes and surfaces. Numerous combinations where the classic striped wallpapers come with coordinating plain wallpapers. Exclusive and enduring results.



Decor 40593 Flow plain blue concrete/Classic collection.

### *TREND Collection*

is for those who want the very latest. Stylish both as a feature wall and for a whole room. Many variations.



Decor 40900 Valentine/Trend collection.



Forestia AS, Damvegen 31  
N - 2435 Braskereidfoss, Norway  
Tlf.: (+47) 38 13 71 00

[www.forestia.com](http://www.forestia.com)  
E-mail: [forestia.kundesenter@byggma.no](mailto:forestia.kundesenter@byggma.no)